

Micro Centrifuge - High Speed

- RPM/RCF14500/14000xg
- Maximum Capacity 12 x 1.5/2.0ml tubes
- Compact design and reliable laboratory assistant which the highest speed reach 14,500rpm.
- User Friendly and compact appearance, special processing of low noise design create a quiet, comfortable experimental environment. Sensitive and efficient speed control, accelerated to the highest speed or reduce from the highest speed only 15sec.

Features :

- Extremely quiet operation
- Easy-to-follow LCD display
- Capacity: 12 x 1.5/2.0ml tubes
- Separate short-spin key
- Low sample heating (only 12°C after 30min, at max.speed)
- Autoclavable rotor (121°C, 20min)
- RMP/RCF setting as required
- Includes standard rotor made of anodized aluminum
- Timer can be set up to 99min



Technical Specifications :

Model No.	726-8041
Max.RPM/RCF	14,500/14,000xg
Max.Capacity	12 x 1.5/2.0 mL
Timer	20sec-99min
Acceleration time to max. speed	15s
Braking time from max. speed	15s
Dimensions (D×W×H)mm	270 × 230 × 155mm
Power	100W
Certificate	CE, ISO9001 :2015

Ordering Information :

Model No.	Description
726-8041	Micro Centrifuge without Rotor 220V, 50/60Hz / Optional 110V, 50/60Hz
Rotors for Micro Centrifuge	
8041-01	Adapters for 0.5 ml tubes
8041-02	Adapters for 0.2 ml tubes